



Price List

Effective March 9th, 2026

Send Mail To:

**P.O. Box 459
Rosemount, MN 55068**

Phone:

651-423-1126 or 800-328-0953

Web Site:

www.reeseusa.com

Email:

info@reeseusa.com

Freight:

- * All orders are F.O.B. origin.
- * For open credit customers only, orders shipping within the continental United States exceeding \$1,950.00 net, freight will be prepaid using the most economical way to one shipping address per order.
- * Non-transportation surcharges (lift-gate fee, limited access fee, construction site delivery, etc.) will be billed to the customer regardless of the net value of the order.
- * Expedited shipping fees will be billed to the customer, regardless of the net value of the order.
- * Air shipments will be billed at the published rate
- * ***All cartons 96" and longer (add 6" to the material length to determine overall carton dimension) will have an additional handling fee added to the order and will be billed to the customer regardless of the net value of the order.***

Minimum Order:

- * An invoice charge of \$20.00 will be added to orders less than \$100.00 net.

Brass & Steel Prices

- * Brass, stainless steel and steel prices are subject to change depending on market value.

Terms:

- * Standard terms are available to customers with satisfactory credit, 2% 10 days, net 30 days from the invoice date.

Terms - Continued

- * Accounts with outstanding balances of 60 days and over from the invoice date will be subject to a late payment charge of 1 1/2% per month of the total balance outstanding. Accounts with outstanding balances of 60 days and over may require Cash in Advance or Credit Card payment when an order is placed.
- * Payment can be made with Cash, Check or Credit Card. Reese Enterprises accepts the following credit cards: Mastercard, Visa, American Express and Discover. Payments made with a Credit Card are NET only plus 3% processing fee (no prompt pay discounts). We do not accept two party or third party checks.
- * The effective price is the price at the time the order is placed with the exception of orders with quoted prices for individual jobs. If, under the law now and hereafter passed, the seller is required to pay a tax on sales or an excise tax, the amount of such taxes will be added to the invoice.
- * Reese Enterprises shall not be responsible for any loss or damages resulting from a delay in filling orders caused by fire, flood, strikes, differences with workers, government regulations, accidents, transportation delays, material shortages or other causes beyond our control.
- * Prices and terms are subject to change without notice.
- * Parts maybe discontinued without notice.

Claims

- * Goods in transit are at the risk of the purchaser for loss or damage.
- * Claims for shortage or improper fulfillment of orders must be made within two weeks from the date of receipt.
- * If goods appear defective, the purchaser should discontinue their use and notify Reese Enterprises at once so the matter can be investigated.
- * Reese Enterprises does not assume liability for consequential damages or delays and claims for labor will not be allowed.
- * Reese Enterprises, at its option, shall repair or replace any part or component part which shall prove defective to the original purchaser.

Warranty:

- * All Reese weatherstrip and threshold products are guaranteed for a period of five years from the date of delivery against defects in material and workmanship.
- * Self-adhesive weatherstripping must be installed within six months of the delivery date in order for the warranty to be valid.
- * Defective goods will be replaced or repaired at the discretion of Reese Enterprises. No claims for damage incurred or work done thereon will be allowed.
- * Cost of replacement shall not exceed the original purchase price.
- * Warranty claims must be submitted in writing within the warranty period.
- * Reese does not assume liability for defects or damage arising from improper installation, lack of recommended maintenance, misuse, modifications, use in incompatible products, or ordinary wear and tear.

Cancellation Charge:

- * Orders for special products and non-standard sizes are subject to a cancellation charge based on labor and material used prior to cancellation.

Return Goods:

- * No merchandise will be accepted for return without prior written approval.
- * Specially fabricated products, non-standard drilling, and non-standard sizes are not returnable.
- * Returned material must be of a recent sale (less than a year from the invoice date), standard stock sizes, and in resalable condition.
- * All returns are subject to a 35% restocking charge plus freight charges.

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6". Odd inches are billed at next higher even inch.
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Thresholds ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Thresholds ordered 120" and OVER are supplied with out holes.
5. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
6. To receive UL label on parts, add prefix "F" when ordering.

THRESHOLD SCREW OPTIONS		
All Prices for thresholds include standard fasteners which are #10 Phillips Flat Head Wood Screws. For anchors and other fasteners - add to the list price per foot as follows:		
Wood screws and Plastic Plug	WS/PA	.90
Wood screws and Lead Expansion Shields	WS/LES	1.20
10-24 Machine Screws and Lead Anchors	10-24 MSA	1.20
1/4-20 Machine Screws and Lead Anchors	1/4-20 MSA	1.60
1/4" x 2 Flat Head Slotted Combo Anchor	FHSL	3.10
#10 Stainless Steel Wood Screws	SS WS	1.25
10-24 Stainless Steel Machine Screws and Lead Anchors	10-24 SSMSA	1.95
1/4-20 Stainless Steel Machine Screws and Lead Anchors	1/4-20 SSMSA	2.40
10 x 1-1/2 Torx Head Sheet Metal Screw		3.60
10-24 x 1-1/2 Torx Machine Screws		3.70
Stainless Steel Wood Screws and Plastic Plug	SS WS/PA	1.95
Stainless Steel Wood Screws and Lead Expansion Shields	SS WS/LES	2.05

WEATHERSTRIP SCREW OPTIONS		
Standard screws for Jamb Weatherstrip are #6 x 5/8 Self Tapping Sheet Metal Screws. For other fasteners - add to the list price per foot as follows:		
#6 Tek (self drilling) screws	no charge but need to be specified "tek"	
#6 Torx sheet metal screws		1.75
#6 Stainless steel sheet metal screws		.70
Thru - Bolts for Part 183		3.75
Bulk Regular & Tek Screws Finish A & C		0.50
Bulk Regular & Tek Screws Finish D & G		1.20

SPECIAL SERVICES AVAILABLE			
Alum. RCE	41.00/ea	Alum. L-Notch, one side	6.75/ea
Alum. Beveling, per foot per edge	8.00/ft	Brass L-Notch, one side	8.00/ea
Alum. Ripping, per foot per cut	8.00/ft	Alum. Jamb Notch, one side	13.00/ea
Alum. Welding, per foot per weld	13.00/ft	Brass Jamb Notch, one side	14.00/ea
Brass Ripping, per foot per cut	10.50/ft	Polishing bronze charge	Add 50%
Tape can be applied on certain products upon request. Call customer service for details.		Special Drilling	Per Quote
SRS "slip resistant surface" only available on "A" finish thresholds			\$1.75/foot
		Per Quote	

----- ALUMINUM FINISH OPTIONS -----	----- MATERIAL DESIGNATIONS -----	----- INSERT OPTIONS -----
A - Aluminum mill finish	B - Brass material*	P - Pile
C - Clear anodized	SP - Steel material - primed	PR - Polypropene
D - Dark bronze anodized	SRS - Slip resistant surface	S - Silicone
BLK - Black anodized - Quoted upon request	SS - Stainless steel material	U - Polyurethane
G - Gold anodized - Quoted upon request	* LIMITED AVAILABILITY	V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F" when ordering.

Catalog Number	List Price
E1A	4.88 /ft
E1D	7.50 /ft
TS1APR	10.32 /ft
TS1AS	10.58 /ft
TS1AU	10.70 /ft
TS1AV	9.07 /ft
TS1DPR	13.52 /ft
TS1DS	13.77 /ft
TS1DU	14.57 /ft
TS1DV	11.54 /ft
E2A	5.70 /ft
E2D	9.10 /ft
TS2A	24.99 /ft
TS2D	29.10 /ft
TJ3A-48"	22.38 /ea
S4LA	23.98 /ft
S4LD	29.20 /ft
TL4C	4.14 /ft
TL4D	7.31 /ft
HD5A	45.49 /ft
HD5D	61.37 /ft
CP6 BLACK/2 PK	6.96 /pk
CP6 WHITE/2 PK	6.96 /pk
TMR8 for 36" Door	696.51 /ea
TMR8 for 72" Door	1393.01 /ea
TMR14 for 36" Door	1021.92 /ea
TMR14 for 72" Door	2043.84 /ea
M15A	4.59 /ft
M15BLK	10.36 /ft
M15C	6.14 /ft
M15D	8.21 /ft
M15G	15.48 /ft
33C	18.92 /ft
33D	23.30 /ft
M35A	5.89 /ft
M35BLK	9.41 /ft
M35C	7.01 /ft

Catalog Number	List Price
M35D	8.97 /ft
M35G	14.38 /ft
39C	12.73 /ft
39D	14.66 /ft
TO40A	27.57 /ft
TO40D	35.23 /ft
49C	7.83 /ft
49D	10.10 /ft
59C	25.43 /ft
59D	28.46 /ft
DS62A	3.21 /ft
DS62C	4.70 /ft
DS62D	8.34 /ft
DS62G	10.50 /ft
DS63A	3.16 /ft
DS63BLK	9.88 /ft
DS63C	4.64 /ft
DS63D	6.74 /ft
DS63G	15.28 /ft
64A	8.96 /ft
64BLK	25.62 /ft
64C	16.15 /ft
64D	22.23 /ft
64G	25.98 /ft
DS69C	6.71 /ft
DS69D	8.49 /ft
DS70C	6.48 /ft
DS70D	8.41 /ft
DS75A	2.46 /ft
DS75C	3.33 /ft
DS75D	6.26 /ft
DS76C	9.36 /ft
DS76D	12.21 /ft
DS78A	7.10 /ft
DS78BLK	10.93 /ft
DS78C	7.72 /ft
DS78D	10.30 /ft

Catalog Number	List Price
DS79C	9.51 /ft
DS79D	13.11 /ft
86AP	6.81 /ft
86AV	6.93 /ft
86DP	9.11 /ft
86DV	9.11 /ft
91A	11.34 /ft
92C	8.98 /ft
92D	11.35 /ft
93C	9.88 /ft
93D	13.70 /ft
95C	23.51 /ft
95CP	26.17 /ft
95CV	26.17 /ft
95C X 95CP	49.67 /ft
95C X 95CV	49.67 /ft
95D	31.72 /ft
95DP	32.96 /ft
95DV	32.96 /ft
95D X 95DP	64.67 /ft
95D X 95DV	64.67 /ft
99C	30.85 /ft
99D	34.79 /ft
103C	8.95 /ft
103D	11.29 /ft
S104A	15.78 /ft
S104D	22.40 /ft
S105A	21.23 /ft
S105D	27.68 /ft
DS106A	2.78 /ft
DS106BLK	8.88 /ft
DS106C	4.54 /ft
DS106D	5.89 /ft
DS106G	8.67 /ft
126AV	7.93 /ft
126DV	9.26 /ft
128CP	8.55 /ft

<p>----- ALUMINUM FINISH OPTIONS -----</p> <p>A - Aluminum mill finish C - Clear anodized D - Dark bronze anodized BLK - Black anodized - Quoted upon request G - Gold anodized - Quoted upon request</p>	<p>----- MATERIAL DESIGNATIONS -----</p> <p>B - Brass material* SP - Steel material - primed SRS - Slip resistant surface SS - Stainless steel material * LIMITED AVAILABILITY</p>	<p>----- INSERT OPTIONS -----</p> <p>P - Pile PR - Polyprene S - Silicone U - Polyurethane V - Vinyl</p>
---	--	--

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
128CV	8.55 /ft
128DP	10.63 /ft
128DV	10.63 /ft
129CP	9.86 /ft
129CV	9.68 /ft
129DP	14.36 /ft
129DV	14.09 /ft
132C	3.77 /ft
132D	8.52 /ft
133C	4.37 /ft
133D	5.68 /ft
V138A	6.62 /ft
V138D	10.46 /ft
T150A	17.61 /ft
T150A x Pan	18.86 /ft
T150D	25.53 /ft
T150D x Pan	26.76 /ft
183C-84	74.44 /ea
183C-96	85.08 /ea
183C-120	106.35 /ea
183D-84	95.97 /ea
183D-96	109.68 /ea
183D-120	137.10 /ea
183SP-84	191.39 /ea
183SP-96	218.73 /ea
183SP-120	273.41 /ea
183SS-84	354.44 /ea
183SS-96	405.07 /ea
184A	7.92 /ft
184C	9.87 /ft
184D	14.24 /ft
195C (ASTRAGAL SET)	63.93 /ft
195D (ASTRAGAL SET)	74.52 /ft
R199A	4.38 /ft
*R199B	QUOTE
R199D	8.92 /ft
R201A	7.95 /ft

Catalog Number	List Price
R201BLK	12.47 /ft
R201C	8.86 /ft
R201D	11.73 /ft
202C	6.70 /ft
202D	10.66 /ft
203C	6.52 /ft
203D	10.23 /ft
S204A	14.16 /ft
*S204B	QUOTE
S204D	20.59 /ft
S205A	18.79 /ft
*S205B	QUOTE
S205D	27.95 /ft
S206A	23.96 /ft
*S206B	QUOTE
S206D	31.65 /ft
S207A	31.61 /ft
*S207B	QUOTE
S207D	40.90 /ft
S211A	11.76 /ft
S211D	18.19 /ft
S225A	8.94 /ft
*S225B	QUOTE
S225BLK	15.23 /ft
S225D	12.49 /ft
232A	14.12 /ft
*232B	QUOTE
232D	17.83 /ft
233A	18.87 /ft
*233B	QUOTE
233D	25.69 /ft
234A	23.97 /ft
*234B	QUOTE
234D	32.27 /ft
235A	29.73 /ft
*235B	QUOTE
235D	40.46 /ft

Catalog Number	List Price
236A	34.02 /ft
*236B	QUOTE
236D	45.97 /ft
237A	8.34 /ft
237D	12.78 /ft
238A	12.50 /ft
238D	18.70 /ft
S239A	29.31 /ft
*S239B	QUOTE
S239D	42.25 /ft
S243A	16.99 /ft
S243D	23.87 /ft
S245A	34.44 /ft
*S245B	QUOTE
S245D	45.98 /ft
S247A	12.32 /ft
S247D	17.74 /ft
S248AP	16.55 /ft
S248APR	17.76 /ft
S248AU	18.52 /ft
S248AV	17.44 /ft
S248DP	21.68 /ft
S248DPR	22.96 /ft
S248DU	23.96 /ft
S248DV	22.79 /ft
S249A	14.52 /ft
S249D	19.23 /ft
S255A	22.27 /ft
S255D	29.63 /ft
S256A	25.04 /ft
S256D	27.46 /ft
S257APR	20.10 /ft
S257AS	20.35 /ft
S257AU	22.29 /ft
S257AV	19.00 /ft
S257DPR	25.86 /ft
S257DS	26.11 /ft

<p>----- ALUMINUM FINISH OPTIONS -----</p> <p>A - Aluminum mill finish C - Clear anodized D - Dark bronze anodized BLK - Black anodized - Quoted upon request G - Gold anodized - Quoted upon request</p>	<p>----- MATERIAL DESIGNATIONS -----</p> <p>B - Brass material* SP - Steel material - primed SRS - Slip resistant surface SS - Stainless steel material * LIMITED AVAILABILITY</p>	<p>----- INSERT OPTIONS -----</p> <p>P - Pile PR - Polyprene S - Silicone U - Polyurethane V - Vinyl</p>
---	--	--

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
S257DU	28.85 /ft
S257DV	24.47 /ft
S258A	22.83 /ft
S258D	31.14 /ft
260A	8.38 /ft
260D	11.08 /ft
261A	8.88 /ft
*261B	QUOTE
261D	12.95 /ft
262A	10.79 /ft
262D	16.36 /ft
S263A	12.03 /ft
S263D	16.25 /ft
S266A	14.58 /ft
S266D	19.12 /ft
276C	10.00 /ft
276D	13.17 /ft
277A	42.14 /ft
277D	58.09 /ft
278A	44.80 /ft
278D	64.62 /ft
279A	60.35 /ft
279D	86.51 /ft
280A	61.22 /ft
280D	87.23 /ft
S281AP	29.47 /ft
S281APR	31.08 /ft
S281AU	33.63 /ft
S281AV	29.69 /ft
S281DP	39.55 /ft
S281DPR	40.46 /ft
S281DU	44.73 /ft
S281DV	39.93 /ft
S282A	28.29 /ft
S282D	37.42 /ft
S283A	13.03 /ft
S283AS	17.44 /ft

Catalog Number	List Price
S283D	17.83 /ft
S283DS	22.15 /ft
S284A	15.77 /ft
S284AS	21.08 /ft
S284D	22.31 /ft
S284DS	27.74 /ft
S285A	20.24 /ft
S285AS	25.55 /ft
S285D	27.74 /ft
S285DS	33.41 /ft
V300A	25.57 /ft
V300D	33.52 /ft
V301A	27.18 /ft
V301D	33.65 /ft
** Automatics -- See Note 4 above **	
320BLK-36	154.96 /ea
320BLK-48	193.70 /ea
320C-36	101.94 /ea
320C-48	127.42 /ea
320D-36	118.59 /ea
320D-48	148.24 /ea
320BLKxLead-36	263.79 /ea
320BLKxLead-48	329.74 /ea
320CxLead-36	195.22 /ea
320CxLead-48	244.03 /ea
320DxLead-36	215.70 /ea
320DxLead-48	269.62 /ea
321C-24	53.77 /ea
321C-36	63.26 /ea
321C-48	79.08 /ea
321D-24	62.71 /ea
321D-36	73.95 /ea
321D-48	92.43 /ea
323A	7.31 /ft
323BLK	10.67 /ft
323C	7.83 /ft
323D	10.45 /ft

Catalog Number	List Price
323G	19.35 /ft
323SS	40.28 /ft
327-36	15.39 /ea
327-48	20.52 /ea
328-36	17.93 /ea
328-48	23.89 /ea
** Automatics -- See Note 4 above **	
330C-36	156.27 /ea
330C-48	195.34 /ea
330D-36	174.34 /ea
330D-48	209.20 /ea
353A	6.07 /ft
353BLK	13.78 /ft
353C	7.51 /ft
353D	9.43 /ft
354A	9.51 /ft
354BLK	17.98 /ft
354C	10.04 /ft
354D	12.35 /ft
354G	20.82 /ft
362A	8.59 /ft
362BLK	13.78 /ft
362C	9.13 /ft
362D	11.79 /ft
364SS	41.39 /ft
** Automatics -- See Note 4 above **	
370A-36	80.23 /ea
370A-48	100.30 /ea
370A-60	125.37 /ea
370AxLead-36	169.21 /ea
370AxLead-48	211.52 /ea
370AxLead-60	251.05 /ea
372A-36 pre-cut to 35-1/2	74.52 /ea
372A-48	95.60 /ea
372A-60	120.32 /ea
373SS	35.63 /ft
377BLK	12.93 /ft

<p>----- ALUMINUM FINISH OPTIONS -----</p> <p>A - Aluminum mill finish C - Clear anodized D - Dark bronze anodized BLK - Black anodized - Quoted upon request G - Gold anodized - Quoted upon request</p>	<p>----- MATERIAL DESIGNATIONS -----</p> <p>B - Brass material* SP - Steel material - primed SRS - Slip resistant surface SS - Stainless steel material * LIMITED AVAILABILITY</p>	<p>----- INSERT OPTIONS -----</p> <p>P - Pile PR - Polypropene S - Silicone U - Polyurethane V - Vinyl</p>
---	--	--

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
377C	9.66 /ft
377D	12.09 /ft
399C	33.89 /ft
399D	38.56 /ft
S404A	11.32 /ft
S404D	18.86 /ft
S405A	16.75 /ft
S405BLK	29.53 /ft
S405D	25.35 /ft
S406A	20.36 /ft
S406D	29.03 /ft
S407A	27.44 /ft
S407D	37.19 /ft
S408A	32.70 /ft
S408D	44.05 /ft
S411A	20.63 /ft
S411D	29.18 /ft
S412A	36.15 /ft
S412D	46.20 /ft
S424A	12.20 /ft
S424D	19.04 /ft
S425A	16.70 /ft
S425BLK	26.68 /ft
S425D	25.09 /ft
S426A	20.28 /ft
S426D	29.97 /ft
S427A	28.08 /ft
S427D	36.86 /ft
S428A	35.41 /ft
S428D	48.53 /ft
** Automatics -- See Note 4 above **	
430A-36	145.78 /ea
430A-48	183.33 /ea
437A	9.24 /ft
*437B	QUOTE
437D	12.49 /ft
S439A	15.50 /ft

Catalog Number	List Price
S439D	20.13 /ft
DB469BLK	17.60 /ft
DB469C	13.86 /ft
DB469D	16.32 /ft
DB469G	28.20 /ft
S470A	9.02 /ft
S470AS	14.07 /ft
S470D	13.22 /ft
S470DS	19.80 /ft
S471A	27.54 /ft
S471D	37.23 /ft
S472A	24.72 /ft
S472D	32.57 /ft
S473A	30.40 /ft
S473D	41.87 /ft
S474AP	35.96 /ft
S474APR	37.33 /ft
S474AU	42.02 /ft
S474AV	34.61 /ft
S474DP	44.79 /ft
S474DPR	47.95 /ft
S474DU	52.46 /ft
S474DV	45.81 /ft
S475A	34.82 /ft
S475D	46.64 /ft
S476AP	39.53 /ft
S476APR	40.87 /ft
S476AU	48.31 /ft
S476AV	39.53 /ft
S476DP	51.13 /ft
S476DPR	51.85 /ft
S476DU	57.55 /ft
S476DV	50.66 /ft
S478A	37.38 /ft
S478D	51.63 /ft
S479A	41.97 /ft
S479D	55.98 /ft

Catalog Number	List Price
480A	14.61 /ft
480D	18.98 /ft
S481A	46.62 /ft
S481D	62.61 /ft
S482A	13.91 /ft
S482AS	19.86 /ft
S482D	20.47 /ft
S482DS	25.07 /ft
S483APR	19.61 /ft
S483AS	19.94 /ft
S483AU	22.09 /ft
S483AV	18.26 /ft
S483DPR	25.49 /ft
S483DS	25.71 /ft
S483DU	29.17 /ft
S483DV	24.15 /ft
S484AP	19.50 /ft
S484APR	22.00 /ft
S484AU	25.81 /ft
S484AV	19.50 /ft
S484DP	28.36 /ft
S484DPR	30.03 /ft
S484DU	36.81 /ft
S484DV	28.36 /ft
S485AP	19.68 /ft
S485APR	21.01 /ft
S485AU	25.54 /ft
S485AV	19.68 /ft
S485DP	28.63 /ft
S485DPR	29.98 /ft
S485DU	37.45 /ft
S485DV	28.63 /ft
S486AP	22.52 /ft
S486APR	23.85 /ft
S486AU	26.98 /ft
S486AV	22.31 /ft
S486DP	30.40 /ft

<p>----- ALUMINUM FINISH OPTIONS -----</p> <p>A - Aluminum mill finish C - Clear anodized D - Dark bronze anodized BLK - Black anodized - Quoted upon request G - Gold anodized - Quoted upon request</p>	<p>----- MATERIAL DESIGNATIONS -----</p> <p>B - Brass material* SP - Steel material - primed SRS - Slip resistant surface SS - Stainless steel material * LIMITED AVAILABILITY</p>	<p>----- INSERT OPTIONS -----</p> <p>P - Pile PR - Polyprene S - Silicone U - Polyurethane V - Vinyl</p>
---	--	--

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
S486DPR	31.60 /ft
S486DU	39.00 /ft
S486DV	30.29 /ft
S487AP	21.59 /ft
S487APR	23.18 /ft
S487AU	27.26 /ft
S487AV	22.19 /ft
*S487BP	QUOTE
*S487BPR	QUOTE
*S487BU	QUOTE
*S487BV	QUOTE
S487DP	29.81 /ft
S487DPR	31.15 /ft
S487DU	40.49 /ft
S487DV	29.55 /ft
S488AP	22.49 /ft
S488APR	23.79 /ft
S488AU	28.05 /ft
S488AV	22.73 /ft
S488DP	30.71 /ft
S488DPR	32.20 /ft
S488DU	40.10 /ft
S488DV	30.42 /ft
S498A	28.09 /ft
S498AS	34.19 /ft
S498D	36.18 /ft
S498DS	41.76 /ft
S500A	34.47 /ft
S500AS	36.95 /ft
S500D	41.97 /ft
S500DS	44.98 /ft
S501A	39.52 /ft
S501AS	42.74 /ft
S501D	46.98 /ft
S501DS	49.90 /ft
S502A	45.24 /ft
S502AS	48.46 /ft

Catalog Number	List Price
S502D	52.78 /ft
S502DS	56.56 /ft
S512A	22.40 /ft
S512D	35.10 /ft
S514A	21.77 /ft
S514D	32.54 /ft
** Automatics -- See Note 4 above **	
521C-36	175.81 /ea
521C-48	219.77 /ea
521C-60	274.71 /ea
521C-96	429.24 /ea
521D-36	196.12 /ea
521D-48	245.16 /ea
521D-60	306.45 /ea
521D-96	459.67 /ea
544A	11.30 /ft
544D	16.38 /ft
548A	11.40 /ft
548D	16.38 /ft
T550A	21.73 /ft
T550D	29.57 /ft
551A	11.30 /ft
551D	16.23 /ft
FBR555-36"	292.76 /ea
FBR555-72"	585.52 /ea
S563A	16.24 /ft
S563D	22.18 /ft
S565A	9.13 /ft
S565D	12.80 /ft
S567A	37.60 /ft
S567D	45.59 /ft
S568AP	39.35 /ft
S568APR	40.70 /ft
S568AU	42.15 /ft
S568AV	38.85 /ft
S568DP	46.14 /ft
S568DPR	47.18 /ft

Catalog Number	List Price
S568DU	49.23 /ft
S568DV	45.61 /ft
S569A	43.10 /ft
S569D	51.46 /ft
S570A	48.97 /ft
S570D	57.48 /ft
S571A	54.83 /ft
S571D	63.49 /ft
574C-36	42.40 /ea
574C-48	56.54 /ea
574C-84	98.94 /ea
574C-96	113.07 /ea
574D-36	53.80 /ea
574D-48	71.73 /ea
574D-84	125.54 /ea
574D-96	143.47 /ea
588CH-18 FT	75.16 /ea
588CH-21 FT	87.67 /ea
588CH-24 FT	100.20 /ea
588W-18 FT	75.16 /ea
588W-21 FT	87.67 /ea
588W-24 FT	100.20 /ea
DB591AF	5.70 /ft
DB591AP	5.98 /ft
DB591AU	14.73 /ft
DB591DF	8.61 /ft
DB591DP	9.07 /ft
DB591DU	16.69 /ft
DB593AF	6.49 /ft
DB593AP	6.76 /ft
DB593AU	15.40 /ft
DB593CF	8.37 /ft
DB593CP	8.58 /ft
DB593CU	17.18 /ft
DB593DF	10.08 /ft
DB593DP	10.40 /ft
DB593DU	21.57 /ft

<p>----- ALUMINUM FINISH OPTIONS -----</p> <p>A - Aluminum mill finish C - Clear anodized D - Dark bronze anodized BLK - Black anodized - Quoted upon request G - Gold anodized - Quoted upon request</p>	<p>----- MATERIAL DESIGNATIONS -----</p> <p>B - Brass material* SP - Steel material - primed SRS - Slip resistant surface SS - Stainless steel material * LIMITED AVAILABILITY</p>	<p>----- INSERT OPTIONS -----</p> <p>P - Pile PR - Polyprene S - Silicone U - Polyurethane V - Vinyl</p>
---	--	--

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price	Catalog Number	List Price	Catalog Number	List Price
DB594AF	8.35 /ft	602C	9.36 /ft	678BLK	8.21 /ft
DB594AU	18.88 /ft	602D	11.78 /ft	678C	6.47 /ft
DB594CF	10.30 /ft	603A	8.18 /ft	678D	7.32 /ft
DB594CU	21.59 /ft	603C	8.80 /ft	678G	16.26 /ft
DB594DF	14.45 /ft	603D	11.71 /ft	688A	4.29 /ft
DB594DU	29.40 /ft	603G	20.86 /ft	688C	7.79 /ft
DB595AF	10.36 /ft	608-25'	23.02 /ea	688D	8.91 /ft
DB595AU	22.06 /ft	612C	11.54 /ft	701A	18.81 /ft
DB595CF	11.60 /ft	612D	14.27 /ft	701BLK	25.09 /ft
DB595CU	24.68 /ft	619C	10.56 /ft	701C	19.40 /ft
DB595DF	16.38 /ft	619D	12.73 /ft	701D	23.46 /ft
DB595DU	34.07 /ft	628-96"	29.25 /ea	S714A	27.52 /ft
DB596AF	10.31 /ft	628-120"	36.56 /ea	S714D	37.75 /ft
DB596AU	21.50 /ft	629-50'	156.82 /ea	754A	11.55 /ft
DB596CF	11.69 /ft	631-50'	83.65 /ea	754C	12.71 /ft
DB596CU	23.81 /ft	633C	21.33 /ft	754D	15.12 /ft
DB596DF	14.03 /ft	633D	24.76 /ft	755A	13.05 /ft
DB596DU	28.94 /ft	633G	32.61 /ft	755C	13.76 /ft
DB597AP	12.07 /ft	638CH-17 FT	41.02 /ea	755D	16.04 /ft
DB597CP	15.52 /ft	638CH-19 FT	45.84 /ea	756A	13.41 /ft
DB597DP	18.77 /ft	638CH- 21 FT	50.67 /ea	756C	14.97 /ft
S598A	39.90 /ft	638CH- 25 FT	60.32 /ea	756D	18.25 /ft
S598AS	42.73 /ft	638CH-500 FT	1206.40 /ea	757A	13.03 /ft
S598D	49.44 /ft	653A	17.92 /ft	757C	14.53 /ft
S598DS	52.90 /ft	653C	18.85 /ft	757D	17.45 /ft
599C	28.31 /ft	653D	22.23 /ft	758A	12.64 /ft
599D	33.50 /ft	655A	13.50 /ft	758C	13.99 /ft
DB600AF	23.01 /ft	655C	14.76 /ft	758D	17.09 /ft
DB600AP	23.61 /ft	655D	17.50 /ft	759A	12.10 /ft
DB600AU	28.48 /ft	657A	11.46 /ft	759C	13.06 /ft
DB600CF	27.36 /ft	657C	14.44 /ft	759D	14.73 /ft
DB600CP	28.87 /ft	657D	14.99 /ft	769A	6.12 /ft
DB600CU	34.46 /ft	659C	31.96 /ft	769BLK	10.08 /ft
DB600DF	31.93 /ft	659D	35.77 /ft	769C	8.03 /ft
DB600DP	32.41 /ft	669C	9.17 /ft	769D	9.09 /ft
DB600DU	38.29 /ft	669D	11.26 /ft	769G	16.74 /ft
602A	8.55 /ft	678A	4.28 /ft	770A	12.18 /ft

<p>----- ALUMINUM FINISH OPTIONS -----</p> <p>A - Aluminum mill finish C - Clear anodized D - Dark bronze anodized BLK - Black anodized - Quoted upon request G - Gold anodized - Quoted upon request</p>	<p>----- MATERIAL DESIGNATIONS -----</p> <p>B - Brass material* SP - Steel material - primed SRS - Slip resistant surface SS - Stainless steel material * LIMITED AVAILABILITY</p>	<p>----- INSERT OPTIONS -----</p> <p>P - Pile PR - Polyprene S - Silicone U - Polyurethane V - Vinyl</p>
---	--	--

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
770C	13.36 /ft
770D	16.18 /ft
772A	13.28 /ft
772BLK	17.97 /ft
772C	14.58 /ft
772D	17.34 /ft
773A	13.84 /ft
773C	14.81 /ft
773D	17.74 /ft
775A	13.82 /ft
775C	15.08 /ft
775D	17.76 /ft
778C	11.48 /ft
778D	14.96 /ft
779C	11.06 /ft
779D	15.24 /ft
786A	8.37 /ft
786D	11.96 /ft
788A	6.49 /ft
788C	7.37 /ft
788D	9.95 /ft
792B-84"	22.35 /ea
792B-96"	25.54 /ea
792B-108"	28.74 /ea
793B-36"	10.79 /ea
793B-48"	14.39 /ea
793B-72"	21.59 /ea
793B-84"	25.19 /ea
793B-96"	28.79 /ea
793B-108"	32.38 /ea
793B-144"	43.18 /ea
793W-36"	10.79 /ea
793W-48"	14.39 /ea
793W-72"	21.59 /ea
793W-84"	25.19 /ea
793W-96"	28.79 /ea
793W-108"	32.38 /ea

Catalog Number	List Price
793W-144"	43.18 /ea
795C	27.20 /ft
795D	32.43 /ft
797B-17	30.23 /ea
797B-19	33.79 /ea
797B-21	37.35 /ea
797B-25	44.46 /ea
797B-500	820.77 /ea
797W-17	32.35 /ea
797W-19	36.16 /ea
797W-21	39.97 /ea
797W-25	47.58 /ea
797W-500	884.68 /ea
798B-17	35.89 /ea
798B-19	40.11 /ea
798B-21	44.34 /ea
798B-25	52.78 /ea
798B-500	980.32 /ea
S803A	19.61 /ft
S803D	26.86 /ft
804A	4.22 /ft
804BLK	7.69 /ft
804C	5.70 /ft
804D	7.11 /ft
804G	14.16 /ft
805A	5.94 /ft
805BLK	13.26 /ft
805C	7.67 /ft
805D	8.35 /ft
805G	12.81 /ft
806A	4.04 /ft
806BLK	10.12 /ft
806C	5.65 /ft
806D	6.79 /ft
806G	9.07 /ft
807A	2.49 /ft
807BLK	7.84 /ft

Catalog Number	List Price
807C	4.31 /ft
807D	5.33 /ft
807G	12.09 /ft
810C	11.37 /ft
810D	13.45 /ft
S814A	13.51 /ft
S814D	18.23 /ft
815A	3.67 /ft
815BLK	8.92 /ft
815C	5.23 /ft
815D	6.62 /ft
815G	15.61 /ft
818A	4.52 /ft
818C	6.40 /ft
818D	7.24 /ft
825A	5.79 /ft
825BLK	10.71 /ft
825C	7.32 /ft
825D	8.12 /ft
825G	16.02 /ft
854A	9.83 /ft
854C	11.81 /ft
854D	13.03 /ft
855A	10.73 /ft
855C	13.64 /ft
855D	13.92 /ft
856A	11.99 /ft
856C	14.42 /ft
856D	15.69 /ft
858A	10.10 /ft
858C	11.52 /ft
858D	13.47 /ft
859A	9.36 /ft
859C	11.17 /ft
859D	12.75 /ft
863A	4.52 /ft
863C	6.14 /ft

<p>----- ALUMINUM FINISH OPTIONS -----</p> <p>A - Aluminum mill finish C - Clear anodized D - Dark bronze anodized BLK - Black anodized - Quoted upon request G - Gold anodized - Quoted upon request</p>	<p>----- MATERIAL DESIGNATIONS -----</p> <p>B - Brass material* SP - Steel material - primed SRS - Slip resistant surface SS - Stainless steel material * LIMITED AVAILABILITY</p>	<p>----- INSERT OPTIONS -----</p> <p>P - Pile PR - Polyprene S - Silicone U - Polyurethane V - Vinyl</p>
---	--	--

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
863D	8.03 /ft
875A	11.83 /ft
875C	13.36 /ft
875D	15.33 /ft
884A	4.99 /ft
884C	6.84 /ft
884D	8.80 /ft
888A	2.53 /ft
888C	3.22 /ft
888D	6.14 /ft
918A	6.88 /ft
918C	8.55 /ft
918D	11.49 /ft
** Automatics -- See Note 4 above **	
933C-36"	163.29 /ea
933C-48"	204.12 /ea
933D-36"	182.90 /ea
933D-48"	228.63 /ea
934A	6.99 /ft
934C	7.68 /ft
934D	10.28 /ft
** Automatics -- See Note 4 above **	
943A-36"	155.74 /ea
943A-48"	194.68 /ea
954C	10.20 /ft
954D	14.61 /ft
955C	11.48 /ft
955D	16.11 /ft
956A	7.52 /ft
956BLK	11.48 /ft
956C	7.98 /ft
956D	10.68 /ft
956G	17.80 /ft
958A	5.83 /ft
958C	6.12 /ft
958D	8.97 /ft
959C	6.00 /ft

Catalog Number	List Price
959D	8.78 /ft
960BLK	26.68 /ft
960C	24.58 /ft
960D	26.00 /ft
961C	6.94 /ft
961D	10.83 /ft
962BLK	16.64 /ft
962C	14.32 /ft
962D	15.78 /ft
963BLK	27.85 /ft
963C	20.24 /ft
963D	27.07 /ft
964BLK	12.82 /ft
964C	7.02 /ft
964D	9.67 /ft
965BLK	22.95 /ft
965C	17.19 /ft
965D	22.74 /ft
966C	22.99 /ft
966D	28.32 /ft
967BLK	14.25 /ft
967C	10.57 /ft
967D	13.80 /ft
968C	15.48 /ft
968D	17.28 /ft
969C	20.04 /ft
969D	24.91 /ft
970C	10.53 /ft
970D	14.18 /ft
971C	17.47 /ft
971D	23.20 /ft
973C	23.48 /ft
973D	26.66 /ft
977C	24.44 /ft
977D	28.64 /ft
978C	32.57 /ft
978D	36.24 /ft

Catalog Number	List Price
979C	31.25 /ft
979D	33.72 /ft
984C	10.41 /ft
984D	14.08 /ft
985C	10.54 /ft
985D	14.49 /ft
986C	11.03 /ft
986D	15.58 /ft
1010B-36"	56.76 /ea
1010B-48"	75.68 /ea
1011B-36"	57.62 /ea
1011B-48"	76.83 /ea
1012B-36"	58.59 /ea
1012B-48"	78.12 /ea
1013B-36"	76.10 /ea
1013B-48"	101.47 /ea
1020B-36"	62.91 /ea
1020B-48"	83.88 /ea
1021B-36"	63.31 /ea
1021B-48"	84.41 /ea
1030A-35-5/8"	23.46 /ea
1030A-36"	23.46 /ea
1030A-48"	31.28 /ea
1030A-AN-35-5/8"	35.04 /ea
1030A-AN-36"	35.04 /ea
1030A-AN-48"	46.73 /ea
1030D-35-5/8"	28.46 /ea
1030D-36"	28.46 /ea
1030D-48"	37.94 /ea
1030D-AN-35-5/8"	40.88 /ea
1030D-AN-36"	40.88 /ea
1030D-AN-48"	54.51 /ea
1031A-35-5/8"	34.56 /ea
1031A-36"	34.56 /ea
1031A-48"	46.08 /ea
1031A-AN-35-5/8"	48.25 /ea
1031A-AN-36"	48.25 /ea

----- ALUMINUM FINISH OPTIONS -----	----- MATERIAL DESIGNATIONS -----	----- INSERT OPTIONS -----
A - Aluminum mill finish C - Clear anodized D - Dark bronze anodized BLK - Black anodized - Quoted upon request G - Gold anodized - Quoted upon request	B - Brass material* SP - Steel material - primed SRS - Slip resistant surface SS - Stainless steel material * LIMITED AVAILABILITY	P - Pile PR - Polypropene S - Silicone U - Polyurethane V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
1031A-AN-48"	64.33 /ea
1031C-35-5/8"	36.40 /ea
1031C-36"	36.40 /ea
1031C-48"	48.54 /ea
1031C-AN-35-5/8"	50.72 /ea
1031C-AN-36"	50.72 /ea
1031C-AN-48"	67.62 /ea
1031D-35-5/8"	44.32 /ea
1031D-36"	44.32 /ea
1031D-48"	59.10 /ea
1031D-AN-35-5/8"	59.93 /ea
1031D-AN-36"	59.93 /ea
1031D-AN-48"	79.91 /ea
1032A-35-5/8"	35.24 /ea
1032A-36"	35.24 /ea
1032A-48"	46.99 /ea
1032A-AN-35-5/8"	47.76 /ea
1032A-AN-36"	47.76 /ea
1032A-AN-48"	63.68 /ea
1032C-35-5/8"	38.35 /ea
1032C-36"	38.35 /ea
1032C-48"	51.14 /ea
1032C-AN-35-5/8"	52.08 /ea
1032C-AN-36"	52.08 /ea
1032C-AN-48"	69.44 /ea
1032D-35-5/8"	46.69 /ea
1032D-36"	46.69 /ea
1032D-48"	62.26 /ea
1032D-AN-35-5/8"	57.66 /ea
1032D-AN-36"	57.66 /ea
1032D-AN-48"	76.88 /ea
1033D-35-5/8"	38.97 /ea
1033D-36"	38.97 /ea
1033D-48"	51.96 /ea
1033D-AN-35-5/8"	44.49 /ea
1033D-AN-36"	44.49 /ea
1033D-AN-48"	59.31 /ea

Catalog Number	List Price
S2048A	18.78 /ft
S2048D	28.85 /ft
S2058A	25.32 /ft
S2058D	29.92 /ft
2124SS-36	446.26 /ea
2124SS-48	595.01 /ea
2124SS-72	892.52 /ea
2124SS-84	1041.27 /ea
2124SS-96	1190.02 /ea
2125SS-36	506.01 /ea
2125SS-48	674.68 /ea
2125SS-72	1012.02 /ea
2125SS-84	1180.69 /ea
2125SS-96	1349.36 /ea
2144SS-36	476.33 /ea
2144SS-48	635.11 /ea
2144SS-72	952.67 /ea
2144SS-96	1270.22 /ea
2145SS-36	515.52 /ea
2145SS-48	687.36 /ea
2145SS-72	1031.03 /ea
2145SS-96	1374.70 /ea

BAP14A per Inch of	
Width (Min. 2" wide)	18.70 /InWide
Example: 4" wide = (4 * 18.70) =74.80/ft	

BAP18A per Inch of	
Width (Min. 2" wide)	11.93 /InWide
Example: 4" wide = (4 * 11.93) =47.72/ft	

<p>----- ALUMINUM FINISH OPTIONS -----</p> <p>A - Aluminum mill finish C - Clear anodized D - Dark bronze anodized BLK - Black anodized - Quoted upon request G - Gold anodized - Quoted upon request</p>	<p>----- MATERIAL DESIGNATIONS -----</p> <p>B - Brass material* SP - Steel material - primed SRS - Slip resistant surface SS - Stainless steel material * LIMITED AVAILABILITY</p>	<p>----- INSERT OPTIONS -----</p> <p>P - Pile PR - Polypropene S - Silicone U - Polyurethane V - Vinyl</p>
---	--	--